	Hits	Search Text	DBs
1	18838	(new with (customer$1 or client$1 or user$1 or subscriber$1 or member$1) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	3219	((un$1us$4 or un$1employ$4 or un$1operat$4 or un$1utiliz$4 or un$1exercis$4 or un$1exploit$4 or ("not" adj bring$4 adj into adj play)) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	2712	L13 and @ad < "20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	451	L14 and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	289	L15 and ((period with time) or weeks or days)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	18	L16 and ((automatic$4 or periodic$4 or dynamic$4) with updat$4 with (status$2 or state$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	1	("6741969").PN.	US-PGPUB; USPAT

	Hits	Search Text	DBs
1	1121	(automatic$4 or periodic$4 or dynamic$4) with updat$4 with (status$2 or state$1) with (customer$1 or client$1 or user$1 or subscriber$1 or member$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	900	1 and @ad < "20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	0	(new with (customer$1 or client$1 or user$1 or subscriber$1 or member$1) with service$1 with (((has adj "not") or (have adj "not") or (did adj "not")) near5 (used or touched or utilized)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	18838	(new with (customer$1 or client$1 or user$1 or subscriber$1 or member$1) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	85	2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	50	5 and ((period with time) or weeks or days)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	0	6 and ("not" with (us$4 or employ$4 or operat$4 or spend$4 or utiliz$4 or exercis$4 or exploit$4 or (bring$4 adj into adj play)) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	5 and ("not" with (us$4 or employ$4 or operat$4 or spend$4 or utiliz$4 or exercis$4 or exploit$4 or (bring$4 adj into adj play)) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	84	5 and ((us$4 or employ$4 or operat$4 or spend$4 or utiliz$4 or exercis$4 or exploit$4 or (bring$4 adj into adj play)) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	50	6 and ((us$4 or employ$4 or operat$4 or spend$4 or utiliz$4 or exercis$4 or exploit$4 or (bring$4 adj into adj play)) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	10 and ((un$1us$4 or un$1employ$4 or un$1operat$4 or un$1utiliz$4 or un$1exercis$4 or un$1exploit$4 or ("not" adj bring$4 adj into adj play)) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	5 and ((un$1us$4 or un$1employ$4 or un$1operat$4 or un$1utiliz$4 or un$1exercis$4 or un$1exploit$4 or ("not" adj bring$4 adj into adj play)) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	0	(has or have) with "not" with (us$4 or employ$4 or operat$4 or spend$4 or utiliz$4 or exercis$4 or exploit$4 or (bring$4 adj into adj play)) with service$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	(has or have or did) with "not" with (us$4 or employ$4 or operat$4 or spend$4 or utiliz$4 or exercis$4 or exploit$4 or (bring$4 adj into adj play)) with service$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3219	((un$1us$4 or un$1employ$4 or un$1operat$4 or un$1utiliz$4 or un$1exercis$4 or un$1exploit$4 or ("not" adj bring$4 adj into adj play)) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2712	15 and @ad < "20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	451	16 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	289	18 and ((period with time) or weeks or days)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	0	19 and (automatic$4 or periodic$4 or dynamic$4) with updat$4 with (status$2 or state$1) with (customer$1 or client$1 or user$1 or subscriber$1 or member$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	18	19 and ((automatic$4 or periodic$4 or dynamic$4) with updat$4 with (status$2 or state$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	0	19 and ((automatic$4 or periodic$4 or dynamic$4) with updat$4 with (status$2 or state$1) with (customer$1 or client$1 or user$1 or subscriber$1 or member$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	289	19 and (customer$1 or client$1 or user$1 or subscriber$1 or member$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	18	21 and (customer$1 or client$1 or user$1 or subscriber$1 or member$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	203	((un$1us$4 or un$1employ$4 or un$1operat$4 or un$1utiliz$4 or un$1exercis$4 or un$1exploit$4 or ("not" adj bring$4 adj into adj play)) adj (account$1 or service$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
25	169	25 and @ad < "20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	169	26 not 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1	27 and (automatic$4 or periodic$4 or dynamic$4) with updat$4 with (status$2 or state$1) with (customer$1 or client$1 or user$1 or subscriber$1 or member$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB